



Advancements and challenges in botulinum toxin use: A comprehensive review

10.56238/isevmjv2n6-021

Recebimento dos originais: 10/11/2023

Aceitação para publicação: 07/12/2023

Rodrigo Cardoso Gothe

ABSTRACT


Botulinum toxin, renowned for its potency, has evolved from a treatment for medical conditions to a leading non-surgical cosmetic procedure. Initially developed to manage disorders such as dystonias and muscle spasms, it now plays a crucial role in aesthetic medicine by reducing wrinkles and expression lines. Recent advancements in its application have enhanced precision and safety, allowing for targeted doses that preserve natural facial expressions while minimizing the risk of unwanted paralysis. Innovations include new formulations and methods that extend its use to areas like the neck and midface, addressing diverse aesthetic concerns. Despite its benefits, the use of botulinum toxin is accompanied by several challenges. Overuse and potential abuse can lead to exaggerated results and diminished facial expressiveness. Long-term safety remains a concern, particularly with repeated treatments, as the long-term effects and potential for antibody development are not fully understood. The proliferation of treatments by unqualified professionals poses additional risks, underscoring the need for stringent regulation and professional training. Studies such as those by Sundaram et al. (2015), Cavallini et al. (2014), Dover et al. (2017), Glogau, Biesman, and Kane (2015), and Jaremek et al. (2023) highlight both the progress and ongoing debates in the field. These studies underscore the importance of integrating new findings into clinical practice, ensuring patient safety, and refining treatment approaches to align with contemporary aesthetic goals. They advocate for a balanced approach, emphasizing both the efficacy and the nuanced application of botulinum toxin in achieving optimal outcomes.

Keywords: Botulinum Toxin, Aesthetic Medicine, Treatment Advancements, Safety and Efficacy, Clinical Research.

INTRODUCTION

Botulinum toxin, widely known as Botox, has become one of the most popular and frequently utilized aesthetic procedures globally. Originally developed for treating medical conditions like dystonias and muscle spasms, its ability to smooth wrinkles and expression lines propelled it into the forefront of aesthetic medicine. Recent advancements have enhanced its application, allowing for more precise and safer treatments with smaller, targeted doses that yield natural-looking results while reducing the risk of unwanted facial paralysis. New formulations and techniques have expanded its use to areas beyond the face, including treatments for gummy smiles and premature aging.

Figure 1: How does botox work?



Source: Albany Laser e Cosmetic Center.

Despite its success, the use of botulinum toxin in aesthetics is not without challenges. Issues such as potential overuse, leading to exaggerated results and loss of facial expressiveness, and concerns about long-term safety remain. Immediate side effects like bruising and swelling are generally mild and temporary, but the long-term implications of repeated use are still being studied. Moreover, the proliferation of treatments by unqualified practitioners raises concerns about safety, underscoring the need for strict regulation and professional training.

The study by Sundaram et al. (2015) examines these evolving practices, highlighting the role of botulinum toxin type A as the leading non-surgical cosmetic procedure with high efficacy and patient satisfaction. The Global Aesthetics Consensus Group's updated recommendations reflect advancements in treatment techniques, emphasizing a diagnostic approach to dosage and placement to address facial disharmony while preserving natural expression.

Similarly, Cavallini et al. (2014) focus on the safety profiles of three botulinum toxin A formulations, finding that all are effective for non-surgical cosmetic procedures. The study, which reviewed 35 trials with 8,787 subjects, confirmed the short-term safety of these formulations, though it also noted adverse events such as blepharoptosis and lip asymmetries, all of which resolved spontaneously.



Dover et al. (2017) address common myths about botulinum toxin use, revealing that neurotoxin/protein complexes do not affect therapeutic outcomes or immunogenicity. The study emphasizes that effective treatment relies more on dosage and less on the specific formulation, and advocates for revisiting common post-treatment practices, such as muscle activity restrictions, which may not be supported by current evidence.

Glogau, Biesman, and Kane (2015) highlight the significant transformation in aesthetic medicine over the past three decades, driven by innovations in botulinum toxin treatments. They criticize the FDA's 2014 guidelines for evaluating efficacy based solely on muscle paralysis and improvement scales, arguing that these measures may lead to overtreatment and do not reflect contemporary practices that prioritize maintaining facial expressiveness.

Jaremek et al. (2023) review the extensive applications of botulinum toxin in medicine, noting its efficacy in treating conditions like hyperhidrosis and migraines, as well as its role in aesthetics. They stress the need for continued research into the long-term effects of prolonged therapy and emphasize the importance of patient monitoring and dose adjustment to maximize treatment benefits while minimizing risks.

While botulinum toxin has proven highly effective in reducing wrinkles and treating medical conditions such as cervical dystonia and hyperhidrosis, concerns about its safety persist. Immediate side effects, such as bruising and swelling, are generally mild and transient. However, there are concerns about long-term adverse effects and the development of neutralizing antibodies, which may reduce the treatment's effectiveness over time. More research is needed to establish the safe duration and optimal frequency of applications to ensure prolonged use without compromising efficacy.

The potential for abuse and overuse of botulinum toxin also generates controversy. The pursuit of perfect aesthetic results may lead to more frequent treatments than recommended, resulting in artificially exaggerated effects and compromising natural facial expressiveness. Additionally, there is a risk associated with treatment by unqualified or inadequately trained professionals, which can increase the likelihood of complications and unsatisfactory results.

Regulatory guidelines, such as those issued by the FDA, often face criticism for not fully reflecting best practices in aesthetic medicine. Recommendations that prioritize complete muscle paralysis may overlook the importance of facial expressiveness, crucial for communication and social perception. The proliferation of unregulated aesthetic treatments and aggressive marketing can also lead to inappropriate practices and unrealistic patient expectations.



To address these controversies, it is essential to promote ongoing education among both professionals and patients, ensure rigorous regulation of aesthetic practices, and encourage research on the long-term effects of botulinum toxin. With a more informed and balanced approach, it is possible to maximize the benefits of botulinum toxin while minimizing the associated risks.

In conclusion, botulinum toxin has firmly established itself as a transformative tool in both aesthetic and medical treatments. Its journey from addressing medical conditions like dystonias and muscle spasms to becoming a cornerstone of non-surgical cosmetic procedures underscores its versatility and efficacy. Recent advancements have refined its use, allowing for more precise and natural results while mitigating risks such as facial paralysis. However, the growing popularity of botulinum toxin also brings challenges, including the potential for overuse, concerns about long-term safety, and the need for qualified practitioners to ensure optimal outcomes.

Studies such as those by Sundaram et al. (2015), Cavallini et al. (2014), Dover et al. (2017), Glogau, Biesman, and Kane (2015), and Jaremek et al. (2023) collectively highlight the ongoing evolution of botulinum toxin use. They reveal advancements in treatment approaches, emphasize the importance of accurate dosing and technique, and call for continued research to address gaps in understanding, particularly regarding long-term effects and best practices. As the field progresses, maintaining a focus on evidence-based practices and rigorous professional standards will be crucial to harnessing the full potential of botulinum toxin while safeguarding patient safety and satisfaction.



REFERENCES

1. Cavallini, M., Cirillo, P., Fundarò, S., Quartucci, S., Sciuto, C., Sito, G., Tonini, D., Trocchi, G., & Signorini, M. (2014). Safety of botulinum toxin A in aesthetic treatments: A systematic review of clinical studies. **Dermatologic Surgery, 40**, 525–536. <https://doi.org/10.1111/dsu.12463>.
2. Dover, J., Monheit, G., Greener, M., & Pickett, A. (2017). Botulinum toxin in aesthetic medicine: Myths and realities. **Dermatologic Surgery, 44**, 249-260. <https://doi.org/10.1097/DSS.0000000000001277>.
3. Glogau, R., Biesman, B., & Kane, M. (2015). Assessment of botulinum toxin aesthetic outcomes: Clinical study vs real-world practice. **JAMA Dermatology, 151*(11)*, 1177-1178. <https://doi.org/10.1001/jamadermatol.2015.2881>.
4. Jaremek, A., Kępa, J., Kandefér, N., Wyszowski, M., Grabarczyk, A., Pawlak, A., Grad, S., Gregorek, M., & Gregorek, P. (2023). The use of botulinum toxin in medicine: Safety and efficacy based on the latest research. **Journal of Education, Health and Sport**. <https://doi.org/10.12775/jehs.2023.44.01.003>.
5. Sundaram, H., Signorini, M., Liew, S., Almeida, A., Wu, Y., Braz, A., Fagien, S., Goodman, G., Monheit, G., & Raspaldo, H. (2015). Global aesthetics consensus: Botulinum toxin type A—Evidence-based review, emerging concepts, and consensus recommendations for aesthetic use, including updates on complications. **Plastic and Reconstructive Surgery, 137**, 518-529. <https://doi.org/10.1097/01.prs.0000475758.63709.23>.
6. Gothe, R. C. (2024). Expansion of therapeutic applications of botulinum toxin: Advances and perspectives. **International Seven Journal of Multidisciplinary, 1*(1)*. <https://doi.org/10.56238/isevmjv1n1-006>. Disponível em: <https://sevenpublicacoes.com.br/ISJM/article/view/5392>. Acesso em: 26 ago. 2024.
7. Lopes, A. R. (2024). Overdenture e prótese protocolo na odontologia: Uma revisão abrangente. **International Seven Journal of Multidisciplinary, 1*(1)*. <https://doi.org/10.56238/isevmjv1n1-007>. Disponível em: <https://sevenpublicacoes.com.br/ISJM/article/view/5393>. Acesso em: 26 ago. 2024.